

Testable JavaScript

Microsoft* tech.days

GOLD SPONSORS

PLATINUM SPONSOR







SILVER SPONSORS



Testable JavaScript

James Kovacs Technical Evangelist, JetBrains @jameskovacs | jameskovacs.com james.kovacs@jetbrains.com







		xterm					· 1
#<<<>>>> #copyright	Lynx (web bi	rowser)	- Wikipedia,	the free	encyclopedia	(p1 of 5)
Your continued donations keep Wikipedia	running	; !					
Lynx (web browser)							
From Wikipedia, the free encyclopedia							
Jump to: navigation, search							
CAPTION: Lynx							
Hikipedia Main Page displayed in Lynx Hikipedia Main Page displayed in Lynx Maintainer: Thomas Dickey							
Stable release: 2.8.5 (February 4, 200	4) [[+/	-11					
Preview release: 2.8.6 (?) [[+/-]]							
OS: Cross-platform							
Use: web browser							
License: GPL							
Website: lynx.isc.org							
Lynx is a text-only Web browser and Inter cell terminals.	rnet Go	pher o	client f	for use on cu	rsor-addro	essable, chara	acter

Browsing in Lynx consists of highlighting the chosen link using cursor keys, or having all links on a page numbered and entering the chosen link's number. Current versions support <u>SSL</u> and many <u>HTML</u> features. Tables are linearized (scrunched together one cell after another without tabular structure), while frames are identified by name and can be explored as if they were separate pages.

Lynx is a product of the Distributed Computing Group within Academic Computing Services of the University of Kansas, and was initially developed in 1992 by a team of students at the university (Lou Montulli, Michael Grobe and Charles Rezac) as a hypertext browser used solely to distribute campus information as part of a Campus-Wide Information Server. In 1993 Montulli added an Internet interface and released a new version (2.0) of the browser [1] [2] [3].

more- http://en.wikipedia.org/wiki/Image:Lynx_%28web_browser%29.png





		Microsoft Internet Explorer			
	vorites Ioo				
Back + 🔿 + 🕥	3 4 3	Search 🔄 Favorites 🕃 Hist	ory 🔄 🕘 📰 🔄 😫		and the second
ress 🕘 http://w2kte	estsvr001/exc	hange/			PGo Link
Outlook			🗴 Forward 🛃 🞑 🗠 🗙 🧭 🔚	22 Yew Messages	. He
Folders	Contraction of the local distance	strator : Inbox		Items 1 to 23 (of 23)	RI (D RI
Shortcuts	106		Subject	Received V	Siz
		Stephen Chetcuti	Re: Lab Series - PreOrder Discount	Wed 3/20/2002 7:46 PM	1 KI
		sicalcura	The commands you can use with this list :	server are Wed 3/20/2002 7:35 PM	4 KI
Con la		CramSession	Securing Windows 2000 DNS Servers	Wed 3/20/2002 7:32 PM	39 KI
Inbox		doalcura	The mailbox <administrator@test1.local></administrator@test1.local>		1 KI
		ikakura	You have been removed from the list Test	-	612 8
1		ikakura	ERROR - You asked to UNSUESCRIEE, by	•	812 8
Calendar		ikakura	Members of list Test1_DL1	Wed 3/20/2002 7:23 PM	526 8
0.00.000		ilcalcura	ERROR - You don't have permission to vie		748 5
•		ilcalcura	ERROR - You don't have permission to vie		748 5
2		skakura	The mailbox < dontpanic q@cox.net> was a		802 8
Contacts		ilcalcura	The mailbox < dontpanic@cox.net> was ad		7961
		idealcura	Members of list 'Test1_DL1'	Wed 3/20/2002 7:14 PM	5261
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		idealcura	Lists on this server:	Wed 3/20/2002 7:13 PM	7021
100		doalcura	ERROR - You asked for MEMBERS of a li-		7641
Options		ikakura	The mailbox <administrator@test1.locad< td=""><td></td><td>1 KJ</td></administrator@test1.locad<>		1 KJ
1000		ikakura	ERROR - You asked to SUESCRIEE to a li		7641
		ilcalcura	Your request to add the mailbox <adminis< td=""><td>trator&gt; tc Wed 3/20/2002 7:06 PM</td><td>6221</td></adminis<>	trator> tc Wed 3/20/2002 7:06 PM	6221
LogOff		Administrator	Fw: Event 109: ActiveX component can't of	reate obj Wed 3/20/2002 7:05 PM	2 KI
rogon		doalcura	The commands you can use with this list	terver are Wed 3/20/2002 7:04 PM	7 KJ
		skakura	Lists on this server:	Wed 3/20/2002 7:04 PM	474
		CertCities@101communice	tio CertCities News: Cisco on New CCNA, M	CSE vs. NWed 3/20/2002 6:38 PM	15 K
		Administrator		Wed 3/20/2002 6:25 PM	528
		Ø Microsoft Outlook 2000	Welcome to Microsoft Outlook 2000!	Wed 3/20/2002 6:23 PM	35 K
				Children Loca	al intranet













#### Test-Driven Development


By Example





# QUnit

000	✓ QUnit Test Suite	2
QUnit Test Suite +		E
(	html ☆ マ C (생~)	۹ 🚺 - 🕲 🖈
QUnit Test Suite		
Hide passed tests     Check for Globals     No try-catch		
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:14.0) Gecko/2010	00101 Firefox/14.0	
Tests completed in 1854 milliseconds. 592 tests of 592 passed, 0 failed.		
1. module without setup/teardown (default) (0, 1, 1) Rerun		
2. expect in test (0, 3, 3) Rerun		
3. expect in test (0, 1, 1) Rerun		
4. assertion helpers: QUnit.assert compatibility (0, 4, 4) Rerun		
5. setup test: module with setup (0, 2, 2) Rerun		
6. setup test: module with setup, expect in test call (0, 2, 2) Ren		
7. setup/teardown test: module with setup/teardown (0, 3, 3)		
8. setup/teardown test 2: module without setup/teardown (0, 1,	,1) Rerun	
9. teardown and stop: teardown must be called after test ended	d (0, 1, 1) Rerun	
10. teardown and stop: parameter passed to stop increments st	emaphore n times (0, 1, 1) Rerun	
11. teardown and stop: parameter passed to start decrements :	semaphore n times (0, 1, 1) Rerun	
12. async setup test: module with async setup (0, 2, 2) Rerun		
13. async teardown test: module with async teardown (0, 2, 2)		
14. asyncTest: asyncTest (0, 2, 2) Rerun		
15. asyncTest: asyncTest (0, 2, 2) Rerun		
16. asyncTest: sync (0, 2, 2) Rerun		
17. asyncTest: test synchronous calls to stop (0, 2, 2) Rerun		
18. save scope: scope check (0, 2, 2) Rerun		
Ostandari Ostahari 0.40		



# Jasmine

#### Context

#### Spec

#### an empty shopping cart

#### there should be nothing in the cart

## describe("A suite", function() { it("contains spec with an expectation", function() { expect(true).toBe(true); }); });

### mocha



```
describe('Array', function(){
    describe('#indexOf()', function(){
        it('should return -1 when the value is not present', function(){
        [1,2,3].indexOf(5).should.equal(-1);
        [1,2,3].indexOf(0).should.equal(-1);
    })
})
```



# QUnit

```
1 asyncTest( "asynchronous test: one second later!", function() {
2    expect( 1 );
3
4    setTimeout(function() {
5       ok( true, "Passed and ready to resume!" );
6       start();
7    }, 1000);
8 });
```

# Jasmine

```
describe("Asynchronous specs", function() {
    var value, flag;
```

it("should support async execution of test preparation and exepectations", function() {

```
runs(function() {
  flag = false;
  value = 0;
  setTimeout(function() {
    flag = true;
  }, 500);
});
waitsFor(function() {
  value++;
  return flag;
}, "The Value should be incremented", 750);
runs(function() {
  expect(value).toBeGreaterThan(0);
});
```

});

});

### mocha

```
describe('User', function(){
  describe('#save()', function(){
    it('should save without error', function(done){
     var user = new User('Luna');
      user.save(function(err){
        if (err) throw err;
        done();
      3);
   3)
 3)
3)
```

```
describe('User', function(){
   describe('#save()', function(){
     it('should save without error', function(done){
      var user = new User('Luna');
     user.save(done);
   })
})
```

#### RESOURCES

- QUnit
  - <u>http://qunitjs.com</u>/
  - <u>https://github.com/liammclennan/JavaScript-Koans</u>
- Jasmine
  - <u>http://pivotal.github.com/jasmine/</u>
  - <u>https://github.com/velesin/jasmine-jquery/</u>
- Mocha
  - <u>http://visionmedia.github.com/mocha/</u>
- Chai
  - <u>http://chaijs.com</u>